



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231 www.uspio.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/899,410	07/05/2001	James O. Farmer	08286.105003	3294	
75	590 04/25/2002				
Steven P. Wigmore, Esq. KING & SPALDING 45th Floor			EXAMINER		
			BELLO, AGUSTIN		
191 Peachtree Street, N.E. Atlanta, GA 30303		ART UNIT	PAPER NUMBER		
			2633		
			DATE MAILED: 04/25/2002	DATE MAILED: 04/25/2002	

Please find below and/or attached an Office communication concerning this application or proceeding.

A A

<u> </u>	Applica	tion No.	Applicant(a)
			Applicant(s)
Office Action Summany	09/899,		FARMER, JAMES O.
Office Action Summary	Examin	er	Art Unit
71 441 110 0475 441	Agustin		2633
The MAILING DATE of this commun Period for Reply	ication appears on t	ne cover sheet w	ith the correspondence address
A SHORTENED STATUTORY PERIOD F THE MAILING DATE OF THIS COMMUNI - Extensions of time may be available under the provisions after SIX (6) MONTHS from the mailing date of this comm - If the period for reply specified above is less than thirty (3 - If NO period for reply is specified above, the maximum st - Failure to reply within the set or extended period for reply - Any reply received by the Office later than three months a earned patent term adjustment. See 37 CFR 1.704(b). Status	CATION. of 37 CFR 1.136(a). In no ounication. 0) days, a reply within the statutory period will apply and will, by statute, cause the a	event, however, may a tatutory minimum of thi will expire SIX (6) MOI pplication to become A	reply be timely filed ty (30) days will be considered timely. NTHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).
1) Responsive to communication(s) fil	ed on .		
	2b)⊠ This action	is non-final.	
/ <u> </u>	for allowance exce	ept for formal ma	tters, prosecution as to the merits is
Disposition of Claims	and and an parts	Quayro, 1000 0.	2. 11, 100 0.0. 210.
4) Claim(s) 1-52 is/are pending in the	application.		`
4a) Of the above claim(s) is/a	re withdrawn from o	consideration.	
5) Claim(s) is/are allowed.			
6)⊠ Claim(s) <u>1-52</u> is/are rejected.			
7) Claim(s) is/are objected to.			
8) Claim(s) are subject to restric	tion and/or election	requirement.	
Application Papers			
9)☐ The specification is objected to by the	e Examiner.		
10)⊠ The drawing(s) filed on <u>05 July 2001</u>	is/are: a)□ accepte	d or b)⊠ objected	to by the Examiner.
Applicant may not request that any obj			
11) The proposed drawing correction file	d on is: a) [approved b) ☐ o	disapproved by the Examiner.
If approved, corrected drawings are re-	• • •	Office action.	
12)☐ The oath or declaration is objected to	by the Examiner.		
Priority under 35 U.S.C. §§ 119 and 120			
13) Acknowledgment is made of a claim	for foreign priority t	under 35 U.S.C.	§ 119(a)-(d) or (f).
a) ☐ All b) ☐ Some * c) ☐ None of:			
 Certified copies of the priority 	documents have be	en received.	
2. Certified copies of the priority	documents have be	en received in A	pplication No
 3. Copies of the certified copies application from the Intern * See the attached detailed Office action 	ational Bureau (PC	T Rule 17.2(a)).	-
14)⊠ Acknowledgment is made of a claim fo		•	
a) ☐ The translation of the foreign lar 15)☐ Acknowledgment is made of a claim f	guage provisional a	application has b	een received.
Attachment(s)			
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (P3) Information Disclosure Statement(s) (PTO-1449) P			Summary (PTO-413) Paper No(s) Informal Patent Application (PTO-152)
J.S. Patent and Trademark Office PTO-326 (Rev. 04-01)	Office Action Summ	narv	Part of Paper No. 3

Art Unit: 2633

DETAILED ACTION

Drawings

1. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the connection between the diplexer and the optical transmitter and optical receiver of claim 4 must be shown or the feature(s) canceled from the claim(s). The connection between the at least one optical receiver and each multiplexer of claim 3 must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

A proposed drawing correction or corrected drawings are required in reply to the Office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 112

- The following is a quotation of the second paragraph of 35 U.S.C. 112:
 The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 3. Claim 3 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. The applicant claims that at least one optical receiver is connected to each multiplexer. However, it is not clear how one receiver is to be connected to each of the multiplexers. Furthermore, it is not clear how both the transmitter and the receiver within a laser transceiver node can both be connected to a multiplexer. Does the multiplexer act to multiplex both downstream and upstream signals? Furthermore, it appears as though only a single output from the optical receiver of the system shown in the Figure is sent to the multiplexer, thereby

Art Unit: 2633

further complicating how exactly the receiver, transmitter, and multiplexer interact with one another.

4. Claim 13 recites the limitation "the protocols" in lines 1 and 2. There is insufficient antecedent basis for this limitation in the claim.

Claim Rejections - 35 USC § 102

5. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in-
- (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effect under this subsection of a national application published under section 122(b) only if the international application designating the United States was published under Article 21(2)(a) of such treaty in the English language; or
- (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that a patent shall not be deemed filed in the United States for the purposes of this subsection based on the filing of an international application filed under the treaty defined in section 351(a).
- 6. Claim 1, 2, 5, 11, 12, 14, 15, 18-21, 24, 26, 27, 31, 32, 33, 35, 37, 39, 40, 41, 45-48, 51, 52, is rejected under 35 U.S.C. 102(e) as being anticipated by Pangrac (U.S. Patent Application Publication No. 2001/0030785).

Regarding Claims 1, 21, 24, and 41 Pangrac teaches an optical network system comprising: a data service hub (reference numeral 101 in Figure 1); at least one optical tap (reference numeral 105 in Figure 1); at least one subscriber optical interface connected to the optical tap (reference numeral 139 in Figure 1); a laser transceiver node (reference numeral 103 in Figure 1) disposed between the data service hub and the optical tap, for communicating optical signals between the data service hub and the optical tap, and for apportioning bandwidth between

Art Unit: 2633

subscribers of the optical network system (paragraph 0015-0016), and one or more optical waveguides connected between respective optical taps and the laser transceiver node (reference numeral 133, 135 in Figure 1), for carrying the upstream optical signals and the downstream optical signals, whereby the number of the waveguides is minimized while optical bandwidth for subscribers is controllable by the laser transceiver node in response to subscriber demand (paragraph 0016).

Regarding Claim 2, Pangrac teaches the optical network system of claim 1, wherein the laser transceiver node further comprises an optical tap routing device (reference numeral 119 in Figure 1) for apportioning the bandwidth between subscribers of the optical network system.

Regarding Claims 5 and 27, Pangrac teaches the optical network system of claim 1, wherein the laser transceiver node accepts gigabit Ethernet optical signals from the data service hub and partitions the Ethernet optical signals into a predetermined number of groups (paragraph 0010).

Regarding Claims 11 and 37, Pangrac teaches that the laser transceiver node further comprises an optical tap routing device that allocates additional or reduced optical bandwidth to at least one subscriber optical interface relative to other subscriber optical interfaces in the optical network system (paragraph 0054).

Regarding Claim 12, Pangrac teaches that the laser transceiver node comprises an optical tap routing device (reference numeral 501 in Figure 5) that manages upstream and downstream optical signal protocols (paragraph 0060).

Art Unit: 2633

Regarding Claims 14, 39 and 51, Pangrac teaches the optical network system of claim 1, wherein data bit rates for the upstream and downstream optical signals are substantially symmetrical (paragraph 0061).

Regarding Claims 15, 40, and 52, Pangrac teaches that the optical waveguides are capable of handling rates up to 450 Mbps (inherent in the transmission of up to Gbps Ethernet signals from the data service hub to the transceiver node via optical fibers.

Regarding Claims 18 and 26, Pangrac teaches that each optical tap propgates upstream and downstream optical signals in addition to downstream RF modulated optical signals (see Figure 3).

Regarding Claim 19, Pangrac teaches that each subsriber optical interface comprises an analog optical receiver, a digital optical receiver, and a digital optical transmitter (reference numeral 139-1 in Figure 1 and (paragraph 0019, 0022, 0037, 0055, claim 77).

Regarding Claim 20, Pangrac teaches multiple sets of waveguides that carry upstream and downstream information between the transceiver and data service hub (paragraph 0038).

Regarding Claims 31 and 45, Pangrac teaches he method of claim 24, further comprising the step of providing one of video, telephone, and internet services via the optical signals (see Figure 1).

Regarding Claims 32 and 46, Pangrac teaches the method of claim 24, further comprising the steps of: splitting combined downstream optical signals with at least one optical tap; and propagating the split downstream optical signals to at least one subscriber along at least one optical waveguide (reference numeral 105, 139 in Figure 1).

Art Unit: 2633

Regarding Claims 33, 35, and 47, Pangrac teaches connecting between one and sixteen subscribers to a respective optical tap (see Figure 1).

Regarding Claim 48, Pangrac teaches that the transceiver node is positioned near the customer premesis (paragraph 0038).

Claim Rejections - 35 USC § 103

- 7. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 8. Claims 3, 4, 7-10, 17, 23, 25, 29, 30, 34, 36, 43, 44, 49, and 50, as best understood by the examiner in view of the 112 rejection above, are rejected under 35 U.S.C. 103(a) as being unpatentable over Pangrac.

Regarding Claim 3, Pangrac teaches the optical network system of claim 1, wherein the laser transceiver comprises at least one multiplexer (reference numeral 425 in Figure 4) coupled to an optical tap routing device; at least one optical transmitter connected to the at least one multiplexer (reference numeral 421 in Figure 4), for transmitting downstream optical signals received from the data service hub to at least one subscriber optical interface of the optical network system; and at least one optical receiver (reference numeral 421 in Figure 4), for receiving and converting upstream optical signals from at least one subscriber optical interface of the optical network system. Pangrac differs from the claimed invention in that in the Pangrac fails to specifically teach that the receiver is connected to each multiplexer. However, Pangrac

Art Unit: 2633

does teach that each receiver of the system is connected to a multiplex device, a device which separates the signals received from the subscribers (reference numeral 431 in Figure 4).

Furthermore, the combination of the multiplex device and the receiver functions to receive and convert and upstream signal from the subscribers, much like that of the claimed invention. One skilled in the art would clearly have recognized that it would have been possible to connect the receiver of the node to each multiplexer of the system in order to multiplex the plurality of signals from the subscribers prior to transmission to the data service hub. Therefore, it would have been obvious to one skilled in the art at the time the invention was made to have connected the optical receiver to each multiplexer in order to multiplex the plurality of signals from the subscribers prior to transmission to the data service hub.

Regarding Claim 4, Pangrac teaches the optical network system of claim 1, wherein the laser transceiver node further comprises at least one diplexer (paragraph 0005, 0013, 0063, 0084), each diplexer combining downstream RF modulated signals received from the data service hub (reference numeral 301 in Figure 3, paragraph 85) with the downstream optical signals, each diplexer being connected to a respective optical waveguide (inherent). Pangrac differs from the claimed invention in that Pangrac fails to specifically teach that each diplexer is connected to the at least one optical transmitter and optical receiver and further that the diplexer combines RF modulated optical signals with other downstream signals. However, Pangrac teaches that other types of service providing device (i.e. video on demand server, television server) can be connected from the data service hub and combined with other downstream signals via a diplexer to a subsriber (paragraph 0083-0084, 0088). Furthermore, as discussed above, Pangrac teaches the use of optical transmitters and receivers (see Figure 4, 5) to transmit and

Art Unit: 2633

receive information to and from the subscribers. The teachings of Pangrac would have suggested to one skilled in the art that it is possible to combine services to the subscriber via a diplexer and transmit those services via the optical transmitter and receiver as shown in the figures. Therefore, it would have been obvious to one skilled in the art at the time the invention was made to have combined RF modulated optical signals with other downstream optical signals via the use of diplexers, optical transmitters, and receiver as taught by Pangrac.

Regarding Claims 7, 8, 29, 30, 43, and 44, Pangrac teaches the system of claim 1, but differs from the claimed invention in that Pangrac fails to specifically teach that the laser transceiver is mountable on a strand in an overhead plant environment or housed within a pedestal in an underground plant environment. However, one skilled in the art would clearly have recognized that it would have been possible to place the transceiver node in either environment without departing from the scope of the invention of Pangrac. Placing a transceiver in such environements is well known in the art and would have been obvious to one skilled in the art at the time the invention was made.

Regarding Claim 9, Pangrac teaches the optical network system of claim 1, but differs from the claimed invention in that Pangrac fails to specifically teach that the distance between the laser transceiver node and the data service hub comprises a range between zero and eighty kilometers. However, Pangrac teaches that communication system provides many advantages regardless of distance and contemplates technology that enables increased distances between system elements (paragraph 0047). One skilled in the art would clearly have recognized that it would have been possible to connect the data service hub within the distance claimed by the applicant. It is extremely well known in the art to connect network elements within the range

Page 8

Art Unit: 2633

claimed by the applicant, and Pangrac suggests this by teaching that the distance between two elements in the system are placed at a distance of one thousand feet, well within the range claimed by the applicant. Therefore, it would have been obvious to one skilled in the art at the time the invention was made to have connected the data service hub to the transceiver node so that it fell within the range claimed by the applicant.

Regarding Claims 10 and 36, Pangrac teaches the system of claim 1, wherein the transceiver node comprises at least one optical transmitter but differs from the claimed invention in that Pangrac fails to specifically teach that the laser transceiver node comprises at least one of a Fabry-Perot laser, a distributed feedback laser, and a vertical cavity surface emitting laser (VCSEL). However, Fabry-Perot laser, a distributed feedback laser, and a vertical cavity surface emitting laser (VCSEL) are all well known types of lasers that are readily available to one skilled in the art. Furthermore, one skilled in the art would clearly have recognized that it would have been possible to incorporate any of the types of laser claimed by the applicant. Therefore, it would have been obvious to one skilled in the art at the time the invention was made to have chosen the laser in the transceiver node to be one of a Fabry-Perot laser, a distributed feedback laser, and a vertical cavity surface emitting laser (VCSEL).

Regarding Claims 17, 23, 34 and 49, Pangrac fails to specifically teach that the optical service taps are connected one another. However, one skilled in the art would clearly have recognized that it would have been beneficial to connect optical taps in order to allow communication between subscribers that receive signals via different taps. Therefore, it would have been obvious to one skilled in the art at the time the invention was made to have connected

Art Unit: 2633

the taps that service different subsriber groups in order to allow communication between subscribers on different taps.

Regarding Claims 25 and 50, Pangrac fails to specifically teach that the subscribers are assigned to the respective individual multiplexers. However, Pangrac teaches that a plurality of subscribers are assigned to a multiplexer. One skilled in the art would clearly have recognized that in an expanded network of Pangrac, a plurality of subscribers would have been assigned to a plurality of multiplexers, each subscriber assigned to a respective multiplexer. Furthermore, duplication of the essential working parts of an invention does not constitute patentable material *St. Regis Paper Co. v. Bemis Co., 193 USPQ 8.* It would have been obvious to one skilled in the art at the time the invention was made that if the network of Pangrac were expanded to include a plurality of transceiver nodes and a plurality of subscriber sites, then each of the subscribers would have been assigned to respective multiplexers.

9. Claims 6, 28, and 42 is rejected under 35 U.S.C. 103(a) as being unpatentable over Pangrac in view of Faulkner (U.S. Patent No. 4,975,899).

Regarding Claims 6, 28, and 42, Pangrac teaches the system of claim 1, but differs from the claimed invention in that Pangrac fails to specifically teach that the laser transceiver node comprises passive cooling devices in order to operate in a temperature range between -40 degrees Celsius to 60 degrees Celsius. However, the use of such passive cooling devices to maintain the operation of optical components within a certain temperature range are extremely well known in the art and would have been obvious to one skilled in the art. For example Faulkner teaches that heat sinks are used to keep transmitter system cool (column 1 lines 8-16). Therefore, it would have been obvious to one skilled in the art at the time the invention was

Art Unit: 2633

made to use passive cooling devices such as the heat sink taught by Faulkner in order to keep the transmitter system of Pangrac within the temperature range claimed by the applicant.

10. Claims 13 and 38 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pangrac in view of Williams (U.S. Patent No. 5,880,864).

Regarding Claims 13 and 38, Pangrac teaches the limitations of claim 11, but differs from the claimed invention in that Pangrac fails to specifically teach that the protocol for transmission of signals is time division multiple access. However, one skilled in the art would clearly have recognized that it would have been possible to use any of the well known protocols for data transmission including TDMA. Williams, in the same field of endeavor, teaches that it is well known in the art to use a time division protocol to transmit data (column 13 lines 46-65). Therefore, it would have been obvious to one skilled in the art at the time the invention was made to have used TDMA protocol to transmit information in the system of Pangrac as taught by Williams.

11. Claims 16 and 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pangrac in view of Farhan (U.S. Patent No. 6,356,369).

Regarding Claims 16 and 22, Pangrac teaches an optical tap but differs from the claimed invention in that Pangrac fails to specifically teach that the tap comprises at least one optical splitter. However, Pangrac teaches at least one optical splitter that functions to split upstream signals (reference numeral 431 in Figure 4). One skilled in the art would clearly have recognized that it would have been possible to incorporate the splitter in the optical tap as oppsed to the transceiver node, thereby allowing the upstream signals to be splt from downstream signals prior to being transmitted to the transceiver node. Furthermore, Farhan, in the same field of endeavor,

Art Unit: 2633

teaches that it is well known in the art to use a splitter in a tap in order to split signals (column 3

Page 12

lines 54-58). Therefore, it would have been obvious to one skilled in the art at the time the

invention was made to have used a splitter in the tap in order to split the upstream signals from

the downstream signals prior to being transmitted to the transceiver node.

Conclusion

12. The prior art made of record and not relied upon is considered pertinent to applicant's

disclosure. Hale for teaching bandwidth allocation.

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Agustin Bello whose telephone number is (703)308-1393. The

examiner can normally be reached on M-F 8:30-6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Jason Chan can be reached on (703)305-4729. The fax phone numbers for the

organization where this application or proceeding is assigned are (703)872-9314 for regular

communications and (703)872-9314 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding

should be directed to the receptionist whose telephone number is (703)305-3900.

AB

April 20, 2002

JASON CHAN

SUPERVISORY PATENT EXAMINER

TECHNOLOGY CENTER 2600